



COMPLIANCE TRAINING
ONLINE.com

Cal/OSHA, DOT HAZMAT, EEOC, EPA, HIPAA, IATA, IMDG, TDG, MSHA, OSHA, Australia WHS, and Canada OHS Regulations and Safety Online Training

This document is provided as a training aid
and may not reflect current laws and regulations.

Be sure and consult with the appropriate governing agencies
or publication providers listed in the "Resources" section of our website.

www.ComplianceTrainingOnline.com



[Facebook](#)



[LinkedIn](#)



[Twitter](#)



[Google Plus](#)



[Website](#)

HAZARD

ALERT:

Compressed Gases



Hazards associated with compressed gases used in underground coal mines include:

- Flammable/explosive gases (acetylene, propane, MAPP)

- Fire/explosion accelerants (oxygen)

- Suffocation (fuel gases, argon, carbon dioxide, nitrogen)

- Extreme force / pressure vessels (broken valve, burst tank)

Best practices:

- Secure tanks for storage and protect them from damage

- Remove hoses and gages when not in use

- Install caps and secure tanks prior to transporting

- Secure gas hoses and attachments when not in use

- Do not transport gas cylinders on mantrips

- Only one set of tanks on a section

- Do not leave unattended tanks in by last open crosscut

- Must be trained and qualified to use compressed gases

- Maintain tanks, hoses, and accessories in safe operating condition

