



COMPLIANCE TRAINING
ONLINE.com

Cal/OSHA, DOT HAZMAT, EEOC, EPA, HIPAA, IATA, IMDG, TDG, MSHA, OSHA, Australia WHS, and Canada OHS Regulations and Safety Online Training

This document is provided as a training aid
and may not reflect current laws and regulations.

Be sure and consult with the appropriate governing agencies
or publication providers listed in the "Resources" section of our website.

www.ComplianceTrainingOnline.com



[Facebook](#)



[LinkedIn](#)



[Twitter](#)



[Google Plus](#)



[Website](#)

LITHIUM ION BATTERIES

Note:

- FedEx Express will not accept any item with an A183 Special Provision, even with a Competent Authority approval. [FX-16]
- Lithium Batteries (Section IA/IB and Section II) must not be shipped in the same package with the following Hazard Classes/Divisions: 1.4, 2.1, 3, 4.1, 4.2, 4.3, 5.1, 5.2, 8, or 2.2 with a Cargo Aircraft Only label. This includes All Packed in One and Overpacks. [FX-07]
- For updated information please go to url below:
http://images.fedex.com/us/services/pdf/DG_IATA_Variations_2013.pdf

SECONDARY RECHARGEABLE Lithium Ion



Section IA
Acceptable to dangerous goods locations only.
Cells greater than 20Wh; and batteries greater than 100Wh

- Shipper's declaration required in net weight KG.
- UN specification packaging required (PGII standards)
- Class 9 label required (See Figure 1)
- Dangerous goods surcharge

Limit per package:
PAX = 5kg
CAO = 35kg

Section IB
Acceptable to dangerous goods locations only.
Cells equal to or less than 20Wh; and batteries equal to or less than 100Wh

- Shipper's declaration required in gross weight KG G.
- Class 9 label required (See Figure 1)
- Completed IATA Lithium Battery Label (See Figure 2)
- Dangerous goods surcharge
- Dangerous goods markings including gross weight
- IB on shipper's declaration (FX-07)

Limit per package:
PAX = 10kg G
CAO = 10kg G

Section I
Acceptable to dangerous goods locations only.
Cells greater than 20Wh; and batteries greater than 100Wh

- Shipper's declaration required in net weight KG.
- UN specification packaging required (PGII standards)
- Class 9 label required (See Figure 1)
- Dangerous goods surcharge

Limit per package:
PAX = 5kg
CAO = 35kg

Section I
Acceptable to dangerous goods locations only.
Cells greater than 20Wh; and batteries greater than 100Wh

- Shipper's declaration required in net weight KG.
- Class 9 label required (See Figure 1)
- Dangerous goods surcharge

Limit per package:
PAX = 5kg
CAO = 35kg

~ or ~

~ or ~

~ or ~

Section II
Acceptable to all locations.
Cells equal to or less than 20Wh; and batteries equal to or less than 100Wh

- No shipper's declaration
- Completed IATA Lithium Battery Label (See Figure 2)
- No dangerous goods surcharge

Limit per package:
Equal to or less than 2.7Wh = 2.5kg; or greater than 2.7Wh but equal to or less than 20Wh = 8 cells; or greater than 2.7 but equal to or less than 100Wh = 2 batteries.




Figure 1



Figure 2 *

Section II
Acceptable to all locations.
Cells equal to or less than 20Wh; and batteries equal to or less than 100Wh

- No shipper's declaration
- Completed IATA Lithium Battery Label (See Figure 2)
- No dangerous goods surcharge

Limit per package:
PAX = 5kg
CAO = 5kg

Section II
Acceptable to all locations.
Cells equal to or less than 20Wh; and batteries equal to or less than 100Wh

- No shipper's declaration
- Completed IATA Lithium Battery Label (See Figure 2) when more than 4 cells or 2 batteries per package
- No dangerous goods surcharge

Limit per package:
PAX = 5kg
CAO = 5kg

* Shipper must complete phone number portion of label.

DISCLAIMER:

This guide is based upon the 2013 "IATA Dangerous Goods Regulations" and provides a general overview of lithium battery shipping requirements. It does not provide complete shipping information. Consult the packing instruction and all applicable Special Provisions for the product being shipped.

These materials are provided as a courtesy, to be used as guidelines to assist properly trained shippers. These materials do not alter, satisfy, or influence any federal or state requirements. The contents of these materials are subject to change due to constant changes in government regulations. FedEx Express accepts no liability for loss or damage resulting from changes, errors, omissions, or misinterpretations of these materials.

LITHIUM METAL BATTERIES

**PRIMARY
NON-RECHARGEABLE
Lithium Metal**

Lithium Metal Batteries
UN3090, P.I. 968

Lithium Metal Batteries
packed with equipment
UN3091, P.I. 969

Lithium Metal Batteries
contained in equipment
UN3091, P.I. 970

Section IA
Acceptable to dangerous goods locations only.
Cells greater than 1g and batteries greater than 2g

- Shipper's declaration required in net weight KG.
- UN specification packaging required (PGII standards)
- Class 9 label required (See Figure 1)
- CAO label required
- Dangerous goods surcharge
- Shipper must be on Section I (IA/IB) preapproval list (FX-07)

Limit per package:
Must be on CAO = 35kg (USG-02)

Section IB
Acceptable to dangerous goods locations only.
Cells equal to or less than 1g; and batteries equal to or less than 2g

- Shipper's declaration required in gross weight KG G.
- Class 9 label required (See Figure 1)
- Completed IATA Lithium Battery Label (See Figure 3)
- Dangerous goods surcharge
- Shipper must be on Section I (IA/IB) preapproval list (FX-07)
- IB on shipper's declaration (FX-07)
- Dangerous goods markings including gross weight.
- CAO label required

Limit per package:
Must be CAO = 2.5kg G (USG-02)

Section I
Acceptable to dangerous goods locations only.
Cells greater than 1g; and batteries greater than 2g

- Shipper's declaration required in net weight KG.
- UN specification packaging required (PGII standards)
- Class 9 label required (See Figure 1)
- Dangerous goods surcharge

Limit per package:
PAX = 5kg
CAO = 35kg

Section I
Acceptable to dangerous goods locations only.
Cells greater than 1g; and batteries greater than 2g

- Shipper's declaration required in net weight KG.
- Class 9 label required (See Figure 1)
- Dangerous goods surcharge

Limit per package:
PAX = 5kg
CAO = 35kg

~ or ~

~ or ~

~ or ~

Section II
Acceptable to dangerous goods locations only.
Cells equal to or less than 1g; and batteries equal to or less than 2g

- No shipper's declaration
- Completed IATA Lithium Battery Label AND FedEx Section II label (See Figures 3 and 4)
- No dangerous goods surcharge
- Shipper must be on Section II preapproval list (FX-07)

Limit per package:
Equal to or less than 0.3g = 2.5kg; or greater than 0.3g but equal to or less than 1g = 8 cells; or greater than 0.3g but equal to or less than 2g = 2 batteries




Figure 1



Figure 3*

* Shipper must complete phone number portion of label.



Figure 4

Section II
Acceptable to all locations.
Cells equal to or less than 1g; and batteries equal to or less than 2g

- No shipper's declaration
- Completed IATA Lithium Battery Label (See Figure 3)
- No dangerous goods surcharge

Limit per package:
PAX = 5kg
CAO = 5kg

Section II
Acceptable to all locations.
Cells equal to or less than 1g; and batteries equal to or less than 2g

- No shipper's declaration
- Completed IATA Lithium Battery Label if more than 4 cells and 2 batteries per package (See Figure 3)
- No dangerous goods surcharge

Limit per package:
PAX = 5kg
CAO = 5kg

If you have questions please contact the Dangerous Goods/Hazardous Materials Hotline at 1.800.GoFedEx 1.800.463.3339 and press "81" or say dangerous goods.